

HONG KONG COLISEUM

Technical Information (Reference Only)

DIMENSIONS


↺	Arena's usable area	:	40m x 40m (1,600 m ²)
↺	Arena height	:	23m
↺	Arena's loading capacity	:	1,800 kg/m ²
↺	Area of outdoor Piazza	:	22,000 m ²
↺	Piazza's loading capacity	:	488 kg/m ² to 1,953 kg/m ²

SEATING CAPACITY

↺	Maximum seating capacity	:	~12,500
↺	Fixed audience seating	:	10,402
↺	Telescopic seating platform system	:	1,200
↺	Portable retractable seating platform system with collapsible seating on platform and ground floor	:	1,456
↺	Central stage/court seating configuration	:	11,602
↺	End stage seating configuration	:	~11,718
↺	Corner stage seating configuration	:	~12,008

STAGE EQUIPMENT

↺	Maximum size of demountable open stage	:	17m (W) x 14.6m (L) x 0.76m to 1.32m (H)
↺	Dimension of cyclorama screen	:	15.9m (W) x 9.2m (H)
↺	Other stage items include stage risers, musician chairs, music stands, conductor's podium and stand, display panels and tables		
↺	Wooden flooring for sports events, area measuring up to 40m x 40m		
↺	Sports equipment for badminton, basketball, volleyball and boxing		



HONG KONG COLISEUM


Technical Information (Reference Only)

AUDIO & VISUAL EQUIPMENT

- ↻ Central 4-side full colour LED display system
 - ✳ Main LED board size, display region : 5.12m x 3.84m
 - ✳ LED display pixel pitch : 10mm
 - ✳ Chinese & English bilingual and scoring displays
- ↻ Tri-colour floor scoring display units for sports events
- ↻ Television production system PAL-625
- ↻ 4 video colour cameras (Model : #JVC-KY29D)
- ↻ Video players/recorders (Betacam-SP, DVDCAM, Mini-DV, S-VHS & VHS)
- ↻ Other video equipment includes still store, caption visualizer, VCD & DVD players
- ↻ Arena and piazza sound systems include mixing console
- ↻ In-house paging system and production communication system with headsets
- ↻ Other sound equipment includes microphones, portable sound systems, stage monitors, loudspeakers, amplifiers, CD players, MD & cassette recorders

LIGHTING & ELECTRICAL EQUIPMENT

- ↻ Lighting switching board (Stand 520i Lighting console system)
- ↻ 24 overhead stage lighting bars and stage lights
- ↻ Floodlights, special effect lights, cyclorama lights, house lights, 9 follow spots
- ↻ Power supply in Arena : 220V / 380V, 3 phase, 4 wire, 1120 kilowatts, 10 power switches of 200 Amp TPN each
- ↻ Power supply in Piazza : 313 kilowatts, 1 power switches of 200 Amp TPN, 3 power switches of 100 Amp TPN each & 2 power switches of 30 Amp TPN each



HONG KONG COLISEUM

Technical Information (Reference Only)

ANCILLARY FACILITIES

VIP LOUNGE

↵	No. of Rooms	:	1
↵	Area	:	120 m ² (approx.)
↵	Capacity	:	60 persons
↵	Facilities	:	Fully carpeted and furnished with sofas, a bar counter and internet access point

CHANGING ROOM

↵	No. of Rooms	:	4
↵	Area	:	8 to 86 m ² (approx.)
↵	Facilities	:	Equipped with full-length mirrors, shower facilities, toilets, telephone jacks and internet access points

DRESSING ROOM

↵	No. of Rooms	:	8
↵	Area	:	12 to 85 m ² (approx.)
↵	Facilities	:	Equipped with full-length mirrors, shower facilities, toilets, telephone jacks and internet access points

FUNCTION ROOM

↵	No. of Rooms	:	3
↵	Area	:	34 to 187 m ² (approx.)
↵	Facilities	:	Equipped with public address system, telephone jacks and internet access points