

CONTROLLING OFFICER'S REPLY**HAB116****(Question Serial No. 1131)**Head: (95) Leisure and Cultural Services DepartmentSubhead (No. & title): (-) Not SpecifiedProgramme: (2) Horticulture and AmenitiesControlling Officer: Director of Leisure and Cultural Services (Vincent LIU)Director of Bureau: Secretary for Home AffairsQuestion:

Super Typhoon Mangkhut caused a huge amount of fallen trees in 2018. Will the Government inform this Committee of the total number of trees and plants re-planted after the typhoon by the Leisure and Cultural Services Department in the parks, roadside amenity areas and public spaces under its management, broken down by District Council district? What are the species of these trees and plants? What is the percentage of re-planting? What are the manpower and expenditures involved?

Asked by: Hon LAU Ip-keung, Kenneth (LegCo internal reference no.: 15)Reply:

A total of about 12 300 trees were re-planted by the Leisure and Cultural Services Department (LCSD) after typhoon Mangkhut. As for the number of other plants, the LCSD does not have a record of the information. The re-planting work was mainly carried out by contractors through contracts which are mostly outcome-based, without specifying the number of staff required. Hence, a breakdown of manpower is not available. Details of the number of trees re-replanted, percentage of re-planting and expenditure are as follows:

District	No. of trees re-planted	Percentage of re-planting	Expenditure(\$)
Eastern	982	48.7%	3,680,000
Wan Chai	239	44.8%	1,205,400
Central and Western	464	53.3%	1,657,600
Southern	360	41.0%	1,485,500
Kwun Tong	737	45.2%	1,935,000
Wong Tai Sin	701	64.0%	1,826,100
Kowloon City	798	53.1%	1,455,000
Sham Shui Po	1 089	64.6%	3,590,600

Yau Tsim Mong	683	62.5%	2,611,500
Tai Po	634	42.8%	2,289,700
Sha Tin	944	42.9%	3,841,800
Sai Kung	984	53.1%	4,874,400
Tsuen Wan	336	44.4%	1,303,000
Islands	497	42.5%	1,730,800
Kwai Tsing	602	66.4%	1,650,200
Tuen Mun	560	38.6%	2,106,400
North	693	34.2%	2,250,800
Yuen Long	1 000	47.3%	2,020,400
		Total:	41,514,200

Note 1: The species of the trees re-planted in various districts are detailed at Annex.

Note 2: The re-planting work in various districts has largely been completed. As some of the trees devastated by the typhoon grew too close to buildings and roads or near larger mature trees, their original locations do not provide growth spaces that are large enough for the healthy growth of newly-planted trees. Some others grew on locations with underground facilities or insufficient soil, making it difficult for the roots of the newly-planted trees to develop into firm supporting structures. As such, after deducting locations not suitable for re-planting, the percentages of re-planting in various districts are below 100%.

Species of trees re-planted in various districts

District	Species of Trees Re-planted
Eastern	<i>Phoenix roebelenii, Elaeocarpus japonicus, Lagerstroemia speciosa, Schima superba, Michelia x alba, Spathodea campanulata, Melaleuca cajuputi subsp. cumingiana, Nageia nagi, Callistemon viminalis, Elaeocarpus decipiens, Phoenix loureiroi, Macaranga tanarius var. tomentosa, Wodyetia bifurcata, Chionanthus retusus, Xanthostemon chrysanthus, Tabebuia rosea, Syagrus romanzoffiana, Viburnum odoratissimum, Bischofia javanica, Bauhinia variegata, Bischofia polycarpa, Veitchia merrillii, Terminalia amтай, Archontophoenix alexandrae, Chukrasia tabularis, Yulania liliiflora, Saraca indica, Schefflera actinophylla, Senna surattensis, Hibiscus tiliaceus, Garcinia subelliptica, Liquidambar formosana, Heteropanax fragrans, Tabebuia chrysantha, Tabebuia argentea, Livistona chinensis, Melia azedarach, Juniperus chinensis "Kaizuca", Koelreuteria bipinnata, Crateva unilocularis, Plumeria rubra, Podocarpus macrophyllus, Ilex rotunda, Jacaranda mimosifolia</i>
Wan Chai	<i>Lagerstroemia speciosa, Camellia japonica, Ficus rumphii, Phoenix roebelenii, Schima superba, Spathodea campanulata, Yulania denudata, Melaleuca cajuputi subsp. cumingiana, Nageia nagi, Cinnamomum aromaticum, Callistemon viminalis, Xanthostemon chrysanthus, Elaeocarpus apiculatus, Bauhinia x blakeana, Bauhinia variegata, Archontophoenix alexandrae, Magnolia grandiflora, Schefflera actinophylla, Pterocarpus indicus, Garcinia subelliptica, Tabebuia chrysantha, Heteropanax fragrans, Liquidambar formosana, Syzygium jambos, Plumeria rubra</i>
Central and Western	<i>Yulania x soulangeana, Aquilaria sinensis, Murraya paniculata, Polyspora axillaris, Roystonea regia, Lagerstroemia speciosa, Terminalia mantaly, Ilex rotunda var. microcarpa, Antidesma bunius, Phoenix roebelenii, Schima superba, Pongamia pinnata, Spathodea campanulata, Koelreuteria formosana, Stenocarpus sinuatus, Melaleuca cajuputi subsp. cumingiana, Nageia nagi, Yulania denudata, Callistemon viminalis, Wodyetia bifurcata, Xanthostemon chrysanthus, Samanea saman, Bauhinia x blakeana, Ficus benjamina, Tabebuia rosea, Bauhinia variegata, Toona ciliata, Archontophoenix alexandrae, Syzygium cumini, Tabebuia impetiginosa, Platycladus orientalis, Reevesia thyrsoidea, Sterculia lanceolata, Magnolia grandiflora, Yulania liliiflora, Psidium guajava, Cratoxylum cochinchinense, Chorisia speciosa, Artocarpus heterophyllus, Michelia champaca, Tabebuia chrysantha, Melaleuca bracteata, Liquidambar formosana, Juniperus chinensis, Myrica rubra, Livistona chinensis, Elaeodendron orientale, Syzygium jambos, Brachychiton acerifolius, Phoebe bournei, Michelia chapensis, Macadamia ternifolia, Markhamia stipulata var. kerrii, Koelreuteria bipinnata, Terminalia mantaly "Tricolour", Juniperus chinensis</i>

	“Kaizuca”, <i>Brownea grandiceps</i> , <i>Acer palmatum</i> , <i>Podocarpus macrophyllus</i> , <i>Jacaranda mimosifolia</i> , <i>Cassia fistula</i> , <i>Ilex rotunda</i> , <i>Sterculia nobilis</i>
Southern	<i>Aquilaria sinensis</i> , <i>Polyspora axillaris</i> , <i>Terminalia mantaly</i> , <i>Schima superba</i> , <i>Pongamia pinnata</i> , <i>Brachychiton acerifolius</i> , <i>Canarium album</i> , <i>Melaleuca cajuputi subsp. cumingiana</i> , <i>Bauhinia variegata var. candida</i> , <i>Michelia x alba</i> , <i>Wodyetia bifurcata</i> , <i>Ormosia henryi</i> , <i>Xanthostemon chrysanthus</i> , <i>Tabebuia chrysantha</i> , <i>Viburnum odoratissimum</i> , <i>Bischofia javanica</i> , <i>Callistemon rigidus</i> , <i>Tabebuia rosea</i> , <i>Syzygium formosanum</i> , <i>Bauhinia variegata</i> , <i>Archontophoenix alexandrae</i> , <i>Sterculia lanceolata</i> , <i>Magnolia grandiflora</i> , <i>Yulania liliiflora</i> , <i>Tabebuia chrysantha</i> , <i>Liquidambar formosana</i> , <i>Syzygium jambos</i> , <i>Livistona chinensis</i> , <i>Hibiscus tiliaceus</i> , <i>Delonix regia</i> , <i>Cinnamomum camphora</i> , <i>Terminalia mantaly “Tricolour”</i> , <i>Plumeria rubra</i> , <i>Terminalia catappa</i>
Kwun Tong	<i>Lagerstroemia speciosa</i> , <i>Roystonea regia</i> , <i>Archontophoenix alexandrae</i> , <i>Phoenix roebelenii</i> , <i>Terminalia mantaly</i> , <i>Elaeocarpus balansae</i> , <i>Melaleuca cajuputi subsp. cumingiana</i> , <i>Aleurites moluccana</i> , <i>Michelia x alba</i> , <i>Macaranga tanarius var. tomentosa</i> , <i>Callistemon viminalis</i> , <i>Nageia nagi</i> , <i>Xanthostemon chrysanthus</i> , <i>Tabebuia pentaphylla</i> , <i>Bauhinia x blakeana</i> , <i>Bischofia javanica</i> , <i>Bauhinia purpurea</i> , <i>Rhodoleia championii</i> , <i>Archontophoenix alexandrae</i> , <i>Prunus persica</i> , <i>Tabebuia impetiginosa</i> , <i>Magnolia grandiflora</i> , <i>Saraca indica</i> , <i>Sterculia lanceolata</i> , <i>Tabebuia chrysantha</i> , <i>Garcinia subelliptica</i> , <i>Hibiscus tiliaceus</i> , <i>Ficus microcarpa</i> , <i>Heteropanax fragrans</i> , <i>Liquidambar formosana</i> , <i>Elaeodendron orientale</i> , <i>Peltophorum tonkinense</i> , <i>Livistona chinensis</i> , <i>Grevillea robusta</i> , <i>Terminalia mantaly “Tricolour”</i> , <i>Koelreuteria bipinnata</i> , <i>Juniperus chinensis “Kaizuca”</i> , <i>Podocarpus macrophyllus</i> , <i>Plumeria rubra</i>
Wong Tai Sin	<i>Bridelia tomentosa</i> , <i>Lagerstroemia speciosa</i> , <i>Ficus virens</i> , <i>Ilex rotunda var. microcarpa</i> , <i>Terminalia mantaly</i> , <i>Elaeocarpus japonicus</i> , <i>Phoenix roebelenii</i> , <i>Schima superba</i> , <i>Elaeocarpus hainanensis</i> , <i>Melaleuca cajuputi subsp. cumingiana</i> , <i>Nageia nagi</i> , <i>Callistemon viminalis</i> , <i>Wodyetia bifurcata</i> , <i>Xanthostemon chrysanthus</i> , <i>Bauhinia x blakeana</i> , <i>Tabebuia rosea</i> , <i>Ficus benjamina “Variegata”</i> , <i>Hyophorbe lagenicaulis</i> , <i>Magnolia grandiflora</i> , <i>Garcinia subelliptica</i> , <i>Sterculia lanceolata</i> , <i>Callistemon hybridus</i> , <i>Cinnamomum burmannii</i> , <i>Tabebuia chrysantha</i> , <i>Liquidambar formosana</i> , <i>Delonix regia</i> , <i>Alstonia scholaris</i> , <i>Terminalia mantaly “Tricolour”</i> , <i>Koelreuteria bipinnata</i> , <i>Juniperus chinensis “Kaizuca”</i> , <i>Jacaranda mimosifolia</i> , <i>Cassia fistula</i>
Kowloon City	<i>Yulania x soulangeana</i> , <i>Lagerstroemia speciosa</i> , <i>Elaeocarpus balansae</i> , <i>Camellia japonica</i> , <i>Ilex rotunda var. microcarpa</i> , <i>Terminalia mantaly</i> , <i>Elaeocarpus hainanensis</i> , <i>Pongamia pinnata</i> , <i>Schima superba</i> , <i>Michelia x alba</i> , <i>Spathodea campanulata</i> , <i>Bauhinia variegata var. candida</i> , <i>Wodyetia bifurcata</i> , <i>Michelia figo</i> , <i>Callistemon viminalis</i> , <i>Xanthostemon chrysanthus</i> , <i>Elaeocarpus apiculatus</i> , <i>Bauhinia x blakeana</i> , <i>Tabebuia rosea</i> , <i>Bischofia javanica</i> , <i>Hyophorbe lagenicaulis</i> , <i>Adenanthera microsperma</i> , <i>Bauhinia variegata</i> , <i>Sterculia lanceolata</i> , <i>Archontophoenix</i>

	<i>alexandrae</i> , <i>Magnolia grandiflora</i> , <i>Garcinia subelliptica</i> , <i>Yulania liliiflora</i> , <i>Cinnamomum burmannii</i> , <i>Hibiscus tiliaceus</i> , <i>Senna surattensis</i> , <i>Callistemon hybridus</i> , <i>Tabebuia argentea</i> , <i>Tabebuia chrysanthra</i> , <i>Liquidambar formosana</i> , <i>Brachychiton acerifolius</i> , <i>Prunus yunnanensis</i> “Guangzhou”, <i>Crateva unilocularis</i> , <i>Juniperus chinensis</i> “Kaizuca”, <i>Plumeria rubra</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Artocarpus communis</i> , <i>Podocarpus macrophyllus</i>
Sham Shui Po	<i>Lagerstroemia speciosa</i> , <i>Elaeocarpus balansae</i> , <i>Terminalia mantaly</i> , <i>Phoenix roebelenii</i> , <i>Spathodea campanulata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Michelia x alba</i> , <i>Callistemon viminalis</i> , <i>Wodyetia bifurcata</i> , <i>Xanthostemon chrysanthus</i> , <i>Elaeocarpus apiculatus</i> , <i>Bauhinia x blakeana</i> , <i>Callistemon rigidus</i> , <i>Tabebuia rosea</i> , <i>Rhodoleia championii</i> , <i>Bischofia polycarpa</i> , <i>Hyophorbe lagenicaulis</i> , <i>Sterculia lanceolata</i> , <i>Magnolia grandiflora</i> , <i>Chukrasia tabularis</i> , <i>Garcinia subelliptica</i> , <i>Callistemon hybridus</i> , <i>Tabebuia chrysanthra</i> , <i>Juniperus chinensis</i> , <i>Heteropanax fragrans</i> , <i>Cassia javanica</i> var. <i>indochinensis</i> , <i>Syzygium jambos</i> , <i>Livistona chinensis</i> , <i>Tabebuia argentea</i> , <i>Cinnamomum camphora</i> , <i>Crateva unilocularis</i> , <i>Jacaranda mimosifolia</i> , <i>Plumeria rubra</i> , <i>Podocarpus macrophyllus</i>
Yau Tsim Mong	<i>Lagerstroemia speciosa</i> , <i>Elaeocarpus balansae</i> , <i>Yulania x soulangeana</i> , <i>Vernicia montana</i> , <i>Elaeocarpus japonicus</i> , <i>Terminalia mantaly</i> , <i>Spathodea campanulata</i> , <i>Elaeocarpus hainanensis</i> , <i>Pongamia pinnata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Callistemon viminalis</i> , <i>Michelia x alba</i> , <i>Xanthostemon chrysanthus</i> , <i>Wodyetia bifurcata</i> , <i>Grevillea banksii</i> , <i>Syagrus romanzoffiana</i> , <i>Ficus benjaminia</i> “Starlight”, <i>Bauhinia x blakeana</i> , <i>Bauhinia purpurea</i> , <i>Callistemon rigidus</i> , <i>Bischofia javanica</i> , <i>Osmanthus fragrans</i> , <i>Bauhinia variegata</i> , <i>Tabebuia rosea</i> , <i>Cassia barkeriana</i> , <i>Sterculia lanceolata</i> , <i>Araucaria heterophylla</i> , <i>Magnolia grandiflora</i> , <i>Saraca indica</i> , <i>Cinnamomum burmannii</i> , <i>Saraca indica</i> , <i>Garcinia subelliptica</i> , <i>Senna surattensis</i> , <i>Tabebuia chrysanthra</i> , <i>Juniperus chinensis</i> , <i>Hibiscus tiliaceus</i> , <i>Liquidambar formosana</i> , <i>Clerodendrum quadriloculare</i> , <i>Taxodium distichum</i> , <i>Tabebuia argentea</i> , <i>Grevillea robusta</i> , <i>Livistona chinensis</i> , <i>Crateva unilocularis</i> , <i>Brachychiton acerifolius</i> , <i>Cinnamomum camphora</i> , <i>Jacaranda mimosifolia</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Juniperus chinensis</i> “Kaizuca”, <i>Podocarpus macrophyllus</i> , <i>Cassia fistula</i> , <i>Plumeria rubra</i> , <i>Prunus serrulata</i> , <i>Ilex rotunda</i> , <i>Artocarpus communis</i> , <i>Terminalia catappa</i>
Tai Po	<i>Lagerstroemia speciosa</i> , <i>Polyspora axillaris</i> , <i>Antidesma bunius</i> , <i>Elaeocarpus japonicus</i> , <i>Phoenix roebelenii</i> , <i>Schima superba</i> , <i>Elaeocarpus hainanensis</i> , <i>Pongamia pinnata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Bauhinia variegata</i> var. <i>candida</i> , <i>Michelia x alba</i> , <i>Macaranga tanarius</i> var. <i>tomentosa</i> , <i>Xanthostemon chrysanthus</i> , <i>Elaeocarpus apiculatus</i> , <i>Bauhinia x blakeana</i> , <i>Syagrus romanzoffiana</i> , <i>Bischofia javanica</i> , <i>Bauhinia purpurea</i> , <i>Tabebuia rosea</i> , <i>Bauhinia variegata</i> , <i>Ravenala madagascariensis</i> , <i>Cassia barkeriana</i> , <i>Sapium sebiferum</i> , <i>Archontophoenix alexandrae</i> , <i>Sterculia lanceolata</i> , <i>Cinnamomum burmannii</i> , <i>Chukrasia tabularis</i> , <i>Chorisia speciosa</i> ,

	<i>Garcinia subelliptica</i> , <i>Plumeria rubra</i> var. <i>acutifolia</i> , <i>Tabebuia chrysantha</i> , <i>Liquidambar formosana</i> , <i>Melia azedarach</i> , <i>Livistona chinensis</i> , <i>Delonix regia</i> , <i>Cinnamomum camphora</i> , <i>Koelreuteria bipinnata</i> , <i>Crateva unilocularis</i> , <i>Alstonia scholaris</i> , <i>Juniperus chinensis</i> “Kaizuca”, <i>Jacaranda mimosifolia</i> , <i>Plumeria rubra</i> , <i>Cassia fistula</i> , <i>Prunus campanulata</i>
Sha Tin	<i>Yulania x soulangeana</i> , <i>Roystonea regia</i> , <i>Lagerstroemia speciosa</i> , <i>Albizia lebbeck</i> , <i>Elaeocarpus balansae</i> , <i>Terminalia mantaly</i> , <i>Phoenix roebelenii</i> , <i>Vernicia montana</i> , <i>Schima superba</i> , <i>Casuarina equisetifolia</i> , <i>Elaeocarpus hainanensis</i> , <i>Cleistocalyx nervosum</i> , <i>Spathodea campanulata</i> , <i>Yulania denudata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Bauhinia variegata</i> var. <i>candida</i> , <i>Callistemon viminalis</i> , <i>Wodyetia bifurcata</i> , <i>Xanthostemon chrysanthus</i> , <i>Salix babylonica</i> , <i>Bauhinia x blakeana</i> , <i>Viburnum odoratissimum</i> , <i>Callistemon rigidus</i> , <i>Bauhinia purpurea</i> , <i>Tabebuia rosea</i> , <i>Bauhinia variegata</i> , <i>Sapium sebiferum</i> , <i>Syzygium cumini</i> , <i>Hyophorbe lagenicaulis</i> , <i>Archontophoenix alexandrae</i> , <i>Sterculia lanceolata</i> , <i>Reevesia thyrsoidea</i> , <i>Magnolia grandiflora</i> , <i>Cinnamomum burmannii</i> , <i>Yulania liliiflora</i> , <i>Chamaecyparis pisifera</i> “Squarrosa”, <i>Chorisia insignis</i> , <i>Ficus religiosa</i> , <i>Machilus chinensis</i> , <i>Garcinia subelliptica</i> , <i>Crateva trifoliata</i> , <i>Ficus benjamina</i> “Comosa”, <i>Senna surattensis</i> , <i>Plumeria rubra</i> var. <i>acutifolia</i> , <i>Tabebuia chrysantha</i> , <i>Juniperus chinensis</i> , <i>Liquidambar formosana</i> , <i>Melia azedarach</i> , <i>Ficus microcarpa</i> , <i>Elaeodendron orientale</i> , <i>Livistona chinensis</i> , <i>Peltophorum tonkinense</i> , <i>Grevillea robusta</i> , <i>Delonix regia</i> , <i>Brachychiton acerifolius</i> , <i>Cinnamomum camphora</i> , <i>Koelreuteria bipinnata</i> , <i>Crateva unilocularis</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Juniperus chinensis</i> “Kaizuca”, <i>Eucalyptus citriodora</i> , <i>Jacaranda mimosifolia</i> , <i>Plumeria rubra</i> , <i>Cassia fistula</i> , <i>Terminalia catappa</i>
Sai Kung	<i>Lagerstroemia speciosa</i> , <i>Ilex rotunda</i> var. <i>microcarpa</i> , <i>Bridelia tomentosa</i> , <i>Terminalia mantaly</i> , <i>Pongamia pinnata</i> , <i>Elaeocarpus hainanensis</i> , <i>Michelia x alba</i> , <i>Rhaphiolepis indica</i> , <i>Yulania denudata</i> , <i>Callistemon viminalis</i> , <i>Grevillea banksii</i> , <i>Nageia nagi</i> , <i>Xanthostemon chrysanthus</i> , <i>Wodyetia bifurcata</i> , <i>Tabebuia rosea</i> , <i>Bauhinia x blakeana</i> , <i>Bischofia javanica</i> , <i>Chionanthus retusus</i>
Tsuen Wan	<i>Yulania x soulangeana</i> , <i>Lagerstroemia speciosa</i> , <i>Saraca dives</i> , <i>Phoenix roebelenii</i> , <i>Schima superba</i> , <i>Elaeocarpus hainanensis</i> , <i>Pongamia pinnata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Callistemon viminalis</i> , <i>Wodyetia bifurcata</i> , <i>Xanthostemon chrysanthus</i> , <i>Callistemon rigidus</i> , <i>Tabebuia rosea</i> , <i>Syzygium formosanum</i> , <i>Rhodoleia championii</i> , <i>Sapium sebiferum</i> , <i>Tabebuia impetiginosa</i> , <i>Archontophoenix alexandrae</i> , <i>Sterculia lanceolata</i> , <i>Magnolia grandiflora</i> , <i>Garcinia subelliptica</i> , <i>Tabebuia chrysantha</i> , <i>Juniperus chinensis</i> , <i>Liquidambar formosana</i> , <i>Syzygium jambos</i> , <i>Livistona chinensis</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Jacaranda mimosifolia</i> , <i>Plumeria rubra</i> , <i>Terminalia catappa</i>
Islands	<i>Lagerstroemia speciosa</i> , <i>Terminalia mantaly</i> , <i>Schima superba</i> , <i>Pongamia pinnata</i> , <i>Callistemon viminalis</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Bauhinia x blakeana</i> , <i>Xanthostemon chrysanthus</i> , <i>Polyalthia longifolia</i>

	<i>var. pendula</i> , <i>Bauhinia variegata</i> , <i>Magnolia grandiflora</i> , <i>Syzygium formosanum</i> , <i>Garcinia subelliptica</i> , <i>Hibiscus tiliaceus</i> , <i>Saraca indica</i> , <i>Tabebuia chrysanthra</i> , <i>Liquidambar formosana</i> , <i>Livistona chinensis</i> , <i>Brachychiton acerifolius</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Crateva unilocularis</i> , <i>Terminalia catappa</i> , <i>Podocarpus macrophyllus</i> , <i>Plumeria rubra</i>
Kwai Tsing	<i>Lagerstroemia speciosa</i> , <i>Albizia lebbeck</i> , <i>Roystonea regia</i> , <i>Phoenix roebelenii</i> , <i>Elaeocarpus japonicus</i> , <i>Schima superba</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Casuarina equisetifolia</i> , <i>Pongamia pinnata</i> , <i>Callistemon viminalis</i> , <i>Michelia x alba</i> , <i>Albizia julibrissin</i> , <i>Bauhinia x blakeana</i> , <i>Xanthostemon chrysanthus</i> , <i>Mangifera indica</i> , <i>Tabebuia rosea</i> , <i>Syagrus romanzoffiana</i> , <i>Bauhinia variegata</i> , <i>Garcinia subelliptica</i> , <i>Araucaria heterophylla</i> , <i>Tabebuia impetiginosa</i> , <i>Tabebuia chrysanthra</i> , <i>Juniperus chinensis</i> , <i>Livistona chinensis</i> , <i>Ficus microcarpa</i> , <i>Syzygium jambos</i> , <i>Cinnamomum camphora</i> , <i>Delonix regia</i> , <i>Brachychiton acerifolius</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Crateva unilocularis</i> , <i>Jacaranda mimosifolia</i> , <i>Terminalia catappa</i> , <i>Podocarpus macrophyllus</i>
Tuen Mun	<i>Yulania x soulangeana</i> , <i>Lagerstroemia speciosa</i> , <i>Polyspora axillaris</i> , <i>Ilex rotunda</i> var. <i>microcarpa</i> , <i>Terminalia mantaly</i> , <i>Sapium discolor</i> , <i>Phoenix roebelenii</i> , <i>Schima superba</i> , <i>Elaeocarpus hainanensis</i> , <i>Pongamia pinnata</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Aleurites moluccana</i> , <i>Callistemon viminalis</i> , <i>Elaeocarpus decipiens</i> , <i>Wodyetia bifurcata</i> , <i>Xanthostemon chrysanthus</i> , <i>Tabebuia pentaphylla</i> , <i>Bauhinia x blakeana</i> , <i>Bauhinia purpurea</i> , <i>Sapium sebiferum</i> , <i>Syzygium cumini</i> , <i>Tabebuia impetiginosa</i> , <i>Hyophorbe lagenicaulis</i> , <i>Archontophoenix alexandrae</i> , <i>Magnolia grandiflora</i> , <i>Psidium guajava</i> , <i>Yulania liliiflora</i> , <i>Pterocarpus indicus</i> , <i>Lagerstroemia indica</i> , <i>Chorisia speciosa</i> , <i>Crateva trifoliata</i> , <i>Callistemon hybridus</i> , <i>Senna surattensis</i> , <i>Hibiscus tiliaceus</i> , <i>Tabebuia chrysanthra</i> , <i>Michelia champaca</i> , <i>Liquidambar formosana</i> , <i>Elaeodendron orientale</i> , <i>Syzygium jambos</i> , <i>Livistona chinensis</i> , <i>Grevillea robusta</i> , <i>Tabebuia argentea</i> , <i>Brachychiton acerifolius</i> , <i>Cinnamomum camphora</i> , <i>Crateva unilocularis</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Juniperus chinensis</i> “Kaizuca”, <i>Plumeria rubra</i>
North	<i>Albizia lebbeck</i> , <i>Eucalyptus robusta</i> , <i>Lagerstroemia speciosa</i> , <i>Camellia japonica</i> , <i>Terminalia mantaly</i> , <i>Elaeocarpus chinensis</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Michelia x alba</i> , <i>Spathodea campanulata</i> , <i>Callistemon viminalis</i> , <i>Ficus elastica</i> , <i>Nageia nagi</i> , <i>Salix babylonica</i> , <i>Xanthostemon chrysanthus</i> , <i>Khaya senegalensis</i> , <i>Bauhinia x blakeana</i> , <i>Peltophorum pterocarpum</i> , <i>Viburnum odoratissimum</i> , <i>Bauhinia purpurea</i> , <i>Syzygium formosanum</i> , <i>Rhodoleia championii</i> , <i>Bauhinia variegata</i> , <i>Swietenia mahagoni</i> , <i>Bischofia polycarpa</i> , <i>Ficus altissima</i> , <i>Ormosia pinnata</i> , <i>Araucaria heterophylla</i> , <i>Archontophoenix alexandrae</i> , <i>Sterculia lanceolata</i> , <i>Cinnamomum burmannii</i> , <i>Schefflera actinophylla</i> , <i>Hibiscus tiliaceus</i> , <i>Plumeria rubra</i> var. <i>acutifolia</i> , <i>Handroanthus impetiginosus</i> , <i>Juniperus chinensis</i> , <i>Tabebuia chrysanthra</i> , <i>Liquidambar formosana</i> , <i>Bauhinia acuminata</i> , <i>Ficus microcarpa</i> , <i>Syzygium jambos</i> , <i>Cinnamomum camphora</i> , <i>Livistona chinensis</i> , <i>Brachychiton acerifolius</i> ,

	<i>Juniperus chinensis</i> “Kaizuca”, <i>Terminalia mantaly</i> “Tricolour”, <i>Jacaranda mimosifolia</i> , <i>Terminalia catappa</i> , <i>Podocarpus macrophyllus</i>
Yuen Long	<i>Terminalia mantaly</i> , <i>Lagerstroemia speciosa</i> , <i>Washingtonia robusta</i> , <i>Ficus rumphii</i> , <i>Elaeocarpus sylvestris</i> , <i>Pongamia pinnata</i> , <i>Spathodea campanulata</i> , <i>Callistemon viminalis</i> , <i>Melaleuca cajuputi</i> subsp. <i>cumingiana</i> , <i>Xanthostemon chrysanthus</i> , <i>Elaeocarpus apiculatus</i> , <i>Grevillea banksii</i> , <i>Salix babylonica</i> , <i>Callistemon rigidus</i> , <i>Bauhinia x blakeana</i> , <i>Syzygium formosanum</i> , <i>Tabebuia rosea</i> , <i>Bauhinia purpurea</i> , <i>Ficus benjamina</i> “Variegata”, <i>Sterculia lanceolata</i> , <i>Senna spectabilis</i> , <i>Garcinia subelliptica</i> , <i>Pterocarpus indicus</i> , <i>Magnolia grandiflora</i> , <i>Callistemon hybridus</i> , <i>Tabebuia chrysantha</i> , <i>Plumeria rubra</i> var. <i>acutifolia</i> , <i>Livistona chinensis</i> , <i>Juniperus chinensis</i> , <i>Grevillea robusta</i> , <i>Delonix regia</i> , <i>Koelreuteria bipinnata</i> , <i>Tabebuia argentea</i> , <i>Terminalia mantaly</i> “Tricolour”, <i>Crateva unilocularis</i> , <i>Juniperus chinensis</i> “Kaizuca”, <i>Podocarpus macrophyllus</i> , <i>Jacaranda mimosifolia</i> , <i>Cassia fistula</i>

- End -