

Performing Arts Division – Technical Support Unit

Tuen Mun Town Hall 3 Tuen Hi Road NT, HK

Phone 852-2450 4202

Fax 852-2451 6335

CONTACTS

Sharon Sze Senior Manager (NTW)Venue

Direct Line 852-2451 1489

Carmen CHAN

Manager (TMTH/ Operation) Direct Line 852-2451 4421 Fax Line 852-2451 6335

Ruby TSUI

Resident Technical Manager (NTW) rhmtsui@lcsd.gov.hk **Direct Line** 852-2450 6195 Fax Line 852-2441 9930

GENERAL SET-UP

CA Hall operates on a 'bare-walls' touring policy. That is, all equipment is normally set-up and struck within the booking period. Hirers are reminded to allow sufficient preparation time to hang theatre masking, rig all overhead stage lighting and set up sound system. Check with our Technical Manager for any other equipment and technical enquiry.

Tuen Mun Town Hall - Cultural Activities Hall **FULL** Technical Information

V. 2024.10.08 Page 1 of 5





The Cultural Activities Hall is an open stage platform theatre modestly equipped to stage Drama, Recital, Seminar and Variety performances. The venue seats 290 on a fixed tier.

DIRECTIONS

West Rail Line. Tuen Mun Station. Exit B / F → Light Rail 505, 507, 751 /

Freeway (From South):

Route 3 (Toward Yuen Long, Sheung Shui direction) → Cheung Tsing $\mathsf{Tunnel} \, \to \, \mathsf{Ting} \, \, \mathsf{Kau} \, \, \mathsf{Bridge} \, \to \, \mathsf{Tuen}$ Mun Road → Tuen Hi Road

Freeway (From East NT):

Tolo Harbour Highway (Route 9) → Fanling Highway → Sha Tin Highway → Tsing Long Highway → Yuen Long Highway → Tuen Mum Road → Pui To Road → Tuen Mum Heung Sze Wui Road → Tuen Hing Road -Tuen Hi Road

Freeway (From North):

Castle Peak Road (Yuen Long) → Long Tin Road → Yuen Long Highway → Tuen Mum Road → Pui To Road

→ Tuen Mum Heung Sze Wui Road
 → Tuen Hing Road → Tuen Hi Road



LOADING

Stairs from Ground level or podium Lift from Ground level or podium

2.00 x 1.70 x 2.20 m $(W \times D \times H)$

STAGE ENTRANCE

Front Entrance of CA Hall via Lift 1.75 x 1.50m (W x H)

PARKING

Permit required

V. 2024.10.08 Page 2 of 5

AUDITORIUM



Max. Total Seating: 290
The venue seats 290 on a fixed tier

ROOM SPACE

 Width
 16.40 m

 Depth
 21.70 m

 Height
 4.80 m

STAGE

Modular stage platform units 2.0 x 1.0 m (W x D)

Stage size $10.0 \ x \ 5.0 \ x \ 0.76 \ m$

 $(W \times D \times H)$

If a flat floor is required, stage units must be trucked and re-set within the booking period

SIDE STAGE

Limited area

REAR STAGE

None

STORAGE SPACE

50 m² store area at annex room, SR of the hall

CROSSOVER

Rear of hall, 1.1m gap between the stage and the back wall

RIGGING

Red Colour Side Masking in both sides

Front projection screen located at the back wall of the stage 4.17 x 3.12m (W x H)

Rigging System

A Hand Winch bar located the back of the stage


Height from stage platform 3.60m Length 9.60m

Pinrail

None

Side Bars

None



V. 2024.10.08 Page 3 of 5

STAGE EQUIPMENT

Stage Drapery

Side Masking in both sides 2 Red

Black curtain 1 11 x 4.6m (W x L)

(Please allow time to rig the masking during booking time)

Leg 2 pairs 3.5 x 4.6m (W x L)

(Please allow time to rig the masking during booking time)

Front Projection Screen 1 Rolling Screen 4.17 x 3.12m

Acoustic Shell 1 set Wenger Travelmaster®

Choir Riser 2 3 Tiers Wenger Tourmaster®

Music Chair 25

Music Stand 25

Podium 1

Dancing Tile Black for main stage

for dance show only (Please allow time to lay the ties during booking time)

2 10.0 x 2.00m (W x D) 1 10.0 x 1.00m (W x D)

Instrument Baby Grand Piano 1 Kawai

Chinese drum 1

Table 2 1.38 x 0.76 x 0.74m (W x D x H)

DRESSING ROOM

Annex

Stage right 2 rooms for 6-8 persons

Dressing room fitted with lockers and private toilet

Provision of iron & iron and steamers (available as

requested)

LIGHTING

Dimmer 72 modules, ETC Sensor 3, 3kW capacity each.

Control Board ETC ION, with backup console, located in Lighting Control Room.

Remote Control Wireless remote control PDA

Houselight Dimmable control in Lighting Control Room.

Circuit 72 nos. 3kW outlets, located behind stage and lighting bar with 15Amp sockets.

V. 2024.10.08 Page 4 of 5

Additional Power		220 Volt / Single-phase, c/w 32 A 3 pin socket for temporary cable connection. Connection must be conducted by a local registered electrical worker.				
		Hirer shall s installation.	supply adequa	te circuit protective devic	es for	all bring in electrical
	13A wall-mounted socket outlets at UK standard are provided on the stage.					
Front of House Position		1m from the edge of downstage with platform units: FOH rigging grid no.1, 3.88m throw at 28 degree FOH rigging grid no.2, 5.59m throw at 20 degree FOH rigging grid no.3, 7.35m throw at 15 degree FOH rigging grid no.4, 9.62m throw at 12 degree				
Profile		575W 168W	ETC ETC	Source 4 Jr zoom 25/50 Source 4 LED Series 2 Lustr Zoom 25/50	10 28	10 spare 17 stage, 11 spare
LED Light	Moving	100W	Chavuet	Rogue R1 BeamWash	28	22 stage, 6 spare
Batten	1	RGBA 200W	Altman	LED Cyclorama Wash	3	Stage
Other		Smoke	Look	Viper S	2	
		generator Music Light	Solution	(DMX controllable)	20	

Supply of above equipment subject to availability on receipt of a lighting plan.

Equipment availability does vary slightly according to equipment conditions and maintenance. Check with Technical Manager for any updates.

<u>Hirer will be provided with basic lighting only, from available hung equipment, if technical preparation time is less than 2 hours in the booking.</u>

All brought-in "Electrical and Stage Lighting Equipment" to be used in LCSD PA venues, shall meet the requirements of "Code of Practice for Electricity (Wiring) Regulations (2009 Edition)". Please contact the venue management for any electrical safety concern. Website reference:

http://www.emsd.gov.hk/emsd/eng/welcome/em_safety.shtml

SOUND Sound System	d&B audiotechnik Vi 7P (main left & right) d&B audiotechnik Vi Sub (main left & right) d&B audiotechnik Vi10P (main centre) d&B audiotechnik 8S (ceiling delay loudspeaker)	1 on each 1 on each 1
Main Control Console	Soundcraft Vi2000 Digital Mixing Console: Inputs Outputs	48 32
Stage Monitor	d&B audiotechnik M6 d&B audiotechnik E8	4 2
Microphone	AKG 414 Neumann KM 184 Neumann KMR 82i Neumann KMS 105 Crown PCC 160 Shure SM58 SW Shure BETA 57 Shure BETA 58	2 4 2 2 2 2 2 4 4

V. 2024.10.08 Page 5 of 5

Wireless Shure UHF wireless mic system

Microphone Bodypack UR1 *OR* 4 sets

Handheld UR2 4

Max. 4 units with a minimum booking of 1 session (Incur extra charge)

CD Player DENON DN-C635 2

CD-CF recorder Tascam SS-CDR- 200 3

LCD Projector Panasonic PT-RZ 970 (10,000 ANSI Lumens) 1 (Extra cost required)

with ET-DLE170 or ET-DLE085 lens

COMMUNICATION

One-channel Wired 4 sets
Intercom system Wireless 4 sets

Show relay system Close Circuit TV System

Prior to booking date, please confirm with Technical Manager for the availability of the equipment.

All required equipment will be set-up during the booking sessions; please allow adequate time for equipment set-up before performance or rehearsal