



Queen Elizabeth Stadium

Technical Information (For Reference Only)

ARENA

Dimensions

✚ Usable Floor Area	:	31.70m x 18.29m (580 m ²) / 104' x 60' (6,240 feet ²)
✚ Height	:	14m
✚ Loading capacity	:	485 kg/m ²

Seating Capacity

✚ Maximum seating capacity	:	~ 3,500
✚ Audience seating (fixed)	:	2,852
✚ Collapsible seating on movable retractable seating platform and arena floor	:	~ 600
✚ Central-stage seating configuration	:	~ 3,500
✚ End-stage seating configuration	:	~ 3,500
✚ Central-court seating configuration	:	~ 2,900

Stage Equipment

✚ Standard size of demountable open stage	:	9.75m (D) x 14.63m (W) x 0.85 to 1.22m (H) / 32' (D) x 48' (W) x 2'8" to 4' (H)
✚ Maximum size of wooden flooring for sports events	:	31.70m (L) x 18.29m (W) / 104' (L) x 60' (W)
✚ Maximum size of portable wooden dance floor	:	22.86m (L) x 13.72m (W) / 75' (L) x 45' (W)
✚ White cyclorama	:	14.63m (W) x 9.14m (H) / 48' (W) x 30' (H)
✚ Black cyclorama	:	14.94m (W) x 10.97m (H) / 49' (W) x 36' (H)
✚ Other stage equipment includes orchestral risers, choir risers, acoustic shells, musician chairs, music stands, conductor's podium, upright piano, speech podium, display panels, folding tables and collapsible chairs		
✚ Equipment for sports events include badminton, basketball, table tennis, volleyball, weight lifting, gymnastics and boxing		

Audio & Visual Equipment

✚ LED display boards		
✚ Floor scoring display units		
✚ LCD projector		
✚ Central and end cluster speaker system (in fixed position)		
✚ Reinforcement speaker system		
✚ Professional sound control consoles		
✚ Other sound equipment includes microphones, playback and recording system (digital audio tape (DAT), compact disk (CD), mini-disk (MD) and SD card), foldback monitors and intercom system		

Lighting & Electrical Equipment

✚ Lighting control console	:	Gio @5 System
✚ Lighting equipment	:	profiles, fresnels, parcans, cyclorama lights, follow spots (up to 4 nos.), strobe lights, UV lights, floodlights for sports events and special lighting for boxing events
✚ Other equipment	:	smoke machines (up to 2 nos.)
✚ Power supply	:	380V, 400A and 200A (3-Phase 4-Wire) in Switch Rooms on 3/F and 4/F arena respectively; and 220V, 13A non-dim sockets are available on two sides of the stage on 3/F arena floor



Queen Elizabeth Stadium

Technical Information (For Reference Only)

ANCILLARY FACILITIES

Reception Room

✚ Location	:	3/F
✚ Area	:	30 m ² (approx.)
✚ Facilities	:	fully carpeted and furnished with sofas

Changing Room

✚ No. of Rooms	:	8
✚ Location	:	3/F
✚ Capacity	:	6 to 12 persons (each room)
✚ Facilities	:	equipped with full-length mirrors, make-up counters, toilets, shower facilities and lockers

OTHER HIRING FACILITIES

Distribution and Exchange Lobby

✚ Location	:	2/F
✚ Area	:	31.5m x 18m (567 m ²) (approx.)
✚ Height	:	3m (approx.)
✚ Loading capacity	:	485 kg/m ²
✚ Power supply	:	380V, 200A (3-Phase 4-Wire)

VIP Lounge

✚ Location	:	2/F
✚ Area	:	77 m ² (approx.)
✚ Facilities	:	fully carpeted and furnished with sofas as well as self-contained toilets

Function Room

✚ No. of Rooms	:	2
✚ Location	:	2/F
✚ Area	:	210 m ² each (approx.)
✚ Facilities	:	equipped with dance flooring, hand rails and full-length wall mirrors (Function Room I); equipped with wooden flooring, hand rails and full-length wall mirrors (Function Room II)

Committee Room

✚ No. of rooms	:	4
✚ Location	:	G/F (1 no.) and 1/F (3 nos.)
✚ Area	:	50 to 71 m ² each (approx.)
✚ Facilities	:	equipped with portable public address system, LCD projector and screen, white boards, folding tables and plastic chairs/plastic chairs with writing pad
✚	:	Committee Room I-III at 1/F can be used as one large room to accommodate at most 90 persons



Queen Elizabeth Stadium

Technical Information (For Reference Only)

LOADING/UNLOADING FACILITIES

Cargo Lift

✚ No. of lift	:	1
✚ Dimension	:	1.9m (W) x 2.9m (D) x 2.5m (H) (internal measurement) ; 1.3m (W) x 2.3m (H) (lift door opening)
✚ Loading capacity	:	3,100 kg tonnage

Passenger Lift

✚ No. of lift	:	1
✚ Dimension	:	1.3m (W) x 1.7m (D) x 2.2m (H) (internal measurement)
✚ Loading capacity	:	1,050 kg tonnage